

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	dynabook	Logo
Company name *	Dynabook Europe GmbH	
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany	•• dynabook
e-mail address		,
Internet site *	http://emea.dynabook.com/generic/environmental-managemen	t/
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer			
Commercial name *	PORTEGE X30L-J			
Model number *	PCR10E, PCR11E, PCR12E, PCR13E, PCR14E			
Issue date *	2022-March-29			
Intended market *	🔄 Global 🔀 Europe 🗌 Asia, Pacific & Japan 📃 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

- P4.1 P4.3 Consumable materials
- P9.1 TEC and Print speed
- P10.2 P10.3 Chemical emissions from printing products
- P11.1 P11.3 Consumable materials for printing products.

Model number *	PCR10E, PCR11E, PCR12E, PCR13E, PCR14E	Logo	
Issue date *	2022-March-29		• dynabook

Product environmental attributes - Legal requirements Reference Re				
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/week			_
P1.0	(see legal reference).	\bowtie		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
1 1.7	http://emea.dynabook.com/generic/environmental-management/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
Γ Ζ. Ι	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\square	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	http://emea.dynabook.com/generic/product-conformity			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\square		
	(see legal reference).		_	
	Required information is; given in item P15 or added to this document,	\bowtie		
	available at (add URL):			
	http://emea.dynabook.com/generic/environmental-management/			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	\square	
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
DC	Comment: Legal reference has no maximum concentration values. Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
P0.1	information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	PCR10E, PCR11E, PCR12E, PCR13E, PCR14E Logo				
Issue date *		2022-March-29		• dynabook		
Produc		mental attributes - Market requirements (See General NOTE GN below)	Requir	ement m	et	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes		.a.	
P7	Design					
D		mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.				
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.			\triangleleft	
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\mathbf{X}	
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available to	ols. 🔀			
P7.6*	Labels ar	re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		7	
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradin	g can be done using commonly available tools	\square		7	
P7.9.	Spare pa	rts are available after end of production for: 5 years			Ŧ	
P7.10	Service is	s available after end of production for: See P15			<u> </u>	
		and substance requirements			_	
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum): type: <u>PC+ABS</u> Material type: <u>Mg</u> Material type:				
P7.12	Insulation	n materials of external electrical cables are PVC free.			7	
P7.13	Insulatior	n materials of internal electrical cables are PVC free.	\square		1	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, a chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts g more than 25% post-consumer recycled content.			3	
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\square		
	halogen a	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\triangleleft	
P7.17		additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:): \			
		emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:]			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparation ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	is in		3	
					2	
P7.19	In plastic	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:	n			
		ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	PCR10E, PCR11E, PCR12E, PCR13E, PCR14E	Logo	
Issue date *	2022-March-29		• dynabook

	t environmental at	tributes - Market r	equirements (conti	inued)	Require		
Item					Yes	No	n.a.
		tance requirements					
P7.20*	Postconsumer recy	cled plastic material o	content is used in the p	product (See NOTE B6	i): 🛛		
	a) Of total plastic				content (calculated as a		
	or	recycled material is	,				
P7.21*					\boxtimes		
	a) Of total plasti of total plastic	c parts' weight > 25 g	es below shall be answ , the biobased plastic %.		ulated as a percentage		
	or b) The weight of	the biobased plastic i	material is g.				
P7.22*	Light sources are f		less than 0,1 mg/lamp	o. num mercury content p	er lamp: mg		
P8	Batteries						_
P8.1*		omposition: Main ba	ttery: Li-ion				
P9		tion (See NOTE B8)		ione are reperted.			
P9.1	For the product the		ls or energy consumpt	ions are reported:			
Energy m	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
charger p	power supply / plugged in the wall disconnected from act.)						
PTEC * Typical E	nergy Consumption	W	W	W			
Power_in	_Off	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	ENERGY STAR® Program Requirements for Computers Version 8.0	1	
Power_in	_Sleep	Category1: 0.7 W Category2: 0.9 W	Category1: 0.7 W Category2: 0.8 W	Category1: 0.7 W Category2: 0.9 W	ENERGY STAR® Program Requirements for Computers Version 8.0		
Power_in	Long_Idle	Category1: 2.6 W Category2: 3.0 W	Category1: 2.6 W Category2: 3.0 W	Category1: 2.7 W Category2: 3.1 W	ENERGY STAR® Program Requirements for Computers Version 8.0		
Power_in	_Short_Idle	Category1: 5.6 W Category2: 6.0 W	Category1: 5.6 W Category2: 6.0 W	Category1: 5.6 W Category2: 6.1 W	ENERGY STAR® Program Requirements for Computers Version 8.0	,	
ETEC * Annual E	nergy Consumption	Category1: 19.9 kWh/year Category2: 22.0 kWh/year	Category1: 19.9 kWh/year Category2: 21.8 kWh/year	Category1: 20.2 kWh/year Category2: 22.2 kWh/year	ENERGY STAR® Program Requirements for Computers Version 8.0		
External I	Power Supply Efficien	cy Level (Internationa	I Efficiency Marking Pr				
Display re	esolution * : m	egapixels					
Default tir	me to enter energy sa	ve mode: AC mode:	10(to Display off), 15	(to Sleep) minutes			
P9.2*	Information about t	he energy save functi	on is provided with the	product.			
		lass (monitors only):					\boxtimes

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PCR10E, PCR11E, PCR12E, PCR13E, PCR14E	Logo	
Issue date *	2022-March-29		•• dynabook

	t environmental	attributes - Market requirements (contin	nued)	R	equire	ment	me	
tem					Yes	No	n.a	
P10	Emissions							
	Noise emission	n – Declared according to ISO 9296 (See NOTE	B9)					
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound powe	er level,			
			L _{WA,c} (B)					
	Idle	* ISO7779 Idle	* 2.5				_	
			2.0					
	Operation	* ISO7779 Operation-HDD						
	Other mode	ISO7779 ODD (When ODD operates)					X	
	Other mode	When cooling fan operates (Fan max.)	4.7					
	Measured accor	rding to: 🔀 ISO 7779 📃 ECMA-74						
		Other (only if not covered b	y ECMA-74)					
	Electromagnet	ic emissions						
P10.4	Computer displa	ay meets the requirement for low frequency elec	tromagnetic fields of the	following voluntary				
	program(s):		-				<u> </u>	
P12		or computing products						
P12.1*	The display mee	ets the ergonomic requirements of ISO 9241-307	7 for visual display techr	nologies.			\times	
P12.2*	The physical inp	out device meets the requirements of ISO 9995 a	and ISO 9241-410.				X	
P13		documentation					<u> </u>	
P13.1*		ing material type(s): <i>card board</i> weight (kg):	0.3715					
		ing material type(s): PP Cloth bag weight (kg):						
		ing material type(s): PE bag weight (kg):	0.016					
		ing material type(s): EPE cushion weight (kg):						
P13.2*	Product plastic	primary packaging is free from PVC.			X			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
	consumer recovered fiber content: 75.6 %							
P13.4*	Specify media for user and product documentation (tick box):							
	Electronic 🔀, Paper 🔀, Other 🗌							
P13.5		mplete this item if paper documentation used)						
	User and product documentation on paper media is chlorine-free:							
	If Yes, please specify:							
	Totally chlorine-free							
	Elemental chlorine-free							
	Processed chlorine-free							
P14	Voluntary prog							
P14.1		ets the requirements of the following voluntary p						
	ENERGY STAR		ate: 29-Sep-2020	Product category: 1	, 2			
	Eco-label:		ate:	Product category:				
	Eco-label:	Criteria version: D	ate:	Product category:				
P15	Additional info	ormation (See NOTE B10)						
P9		mption of computer products; description of	the tested product cor	figuration:				
P7.10		depends on service agreement.						
P9	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard							
	configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy							
	efficiency							
P10		information published on The Eco Declaration re		stics of a model with star	ndard			
		Characteristics of models with different configurat						
	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cable commonly includes R40						40	
P7.19	substances.							
P7.19				Information contained in this document is approximate and provided for informational purposes only.				
P7.19	Information con							
P7.19	Information con Dynabook provi	ides this information without warranties of any ki			ot limite	ed to		
P7.19	Information con Dynabook provi warranties for a		nd neither expressed no	r implied including but n				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	