



Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Dynabook	Logo	
Company name *	Dynabook Europe GmbH		June 1
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany		dynabook
e-mail address			,
Internet site *	http://emea.dynabook.com/generic/environmental-managemen	t/	
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook Computer						
Commercial name *	TECRA A40-K / SATELLITE PRO A40-K						
Model number *	PMM25,PMM26,PMM20,PMM21,PMM22,PMM23						
Issue date *	2022-February-25						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	PMM25,PMM26,PMM20,PMM21,PMM22,PMM23	Logo	
Issue date *	2022-February-25		• dynabook

Yes P1 Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) ✓ P1.2* Products do not contain Asbestos (see legal reference). ✓	No n.a.
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	
1,7 1 (3	
P1.2* Products do not contain Asbestos (see legal reference).	
Comment: Legal reference has no maximum concentration value.	
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	
trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum	
concentration values.	
P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	
(see legal reference).	
Comment: Max limit in legal reference when tested according to EN1811:2011-5.	
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	
http://emea.dynabook.com/generic/environmental-management/	
P2 Batteries	
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	
symbol. Information on proper disposal is provided in user manual. (See legal reference)	
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	
P2.3* Batteries and accumulators are readily removable. (See legal reference)	\square
P3 Conformity verification & Eco design (ErP)	
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	
The Declaration of Conformity can be requested at (add link or e-mail address):	
http://emea.dynabook.com/generic/product-conformity	
P3.2* The product complies with the Eco design requirements for energy-related products,	
(see legal reference).	
Required information is; given in item P15 or added to this document,	
available at (add URL):	
http://emea.dynabook.com/generic/environmental-management/	
P5 Product packaging	
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal	
Protocol (see legal reference).	
Comment: Legal reference has no maximum concentration values.	
P6 Treatment information	
P6.1* Information for recyclers/treatment facilities is available (see legal reference).	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	PMM25,PMM26,PMM20,PMM21,PMM22,PMM23			
Issue date *	2022-February-25		• dynabook	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$^{\rm H}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	+	H
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: See P15			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+ABS Material type: Material type:		<u> </u>	
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		_Ц	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.		Ш	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 are low	\boxtimes		
	halogen as defined in IEC 61249-2-21. (See ⁵ NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(40)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	PMM25,PMM26,PMM20,PMM21,PMM22,PMM23	Logo	
Issue date *	2022-February-25		• dynabook

Product environmental attributes - Market requirements (continued)						Require	men	t met
Item			Yes 1	No	n.a.			
		tance requirements						
P7.20*	Postconsumer recy	cled plastic material c	ontent is used in the p	roduct (See NOTE B6)):		Ш	
	a) Of total plastic				ontent (calculated as a			
	or	recycled material is 5	,					
P7.21*			in the product (See No	OTE B7):			\boxtimes	
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is 0 g.								
P7.22*	Light sources are fr		less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemical co	omposition: Main bar	ttery: Li-ion					
P9	Energy consumpt	ion (See NOTE B8)						
P9.1	For the product the	following power level:	s or energy consumption					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard f modes and test method			
charger plu	power supply / ugged in the wall disconnected from	0.1 W	0.1 W	0.1 W	EN 50563			
PTEC *	,l.)	W	W	W				$\overline{}$
	ergy Consumption	**	vv	**				Ш
Power_in_	Off	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	ENERGY STAR Prog Requirements - Prog Specification for Co	duct		
Power_in_	Sleep	Category1: 0.6 W Category2: 0.7 W	Category1: 0.6 W Category2: 0.7 W	Category1: 0.7 W Category2: 0.7 W	ENERGY STAR Prog Requirements - Prog Specification for Co Version 8.0	duct		
Power_in_	Long_ldle	Category1: 0.6 W Category2: 0.7 W	Category1: 0.6 W Category2: 0.7 W	Category1: 0.7 W Category2: 0.7 W	ENERGY STAR Prog Requirements - Prog Specification for Co Version 8.0	duct		
	Short_Idle	Category1: 5.8 W Category2: 6.0 W	Category1: 5.8 W Category2: 5.9 W	Category1: 5.9 W Category2: 6.1 W	ENERGY STAR Prog Requirements - Prog Specification for Co Version 8.0	duct mputers		
ETEC * Annual Energy Consumption		Category1: 18.6 kWh/year Category2: 19.1 kWh/year	Category1: 18.4 kWh/year Category2: 18.9 kWh/year	Category1: 18.9 kWh/year Category2: 19.6 kWh/year	ENERGY STAR Prog Requirements - Prog Specification for Co Version 8.0	duct		
External P	ower Supply Efficiend	cy Level (International	Efficiency Marking Pro	otocol) *: VI				
Display res	solution * : megapixe	els						
	ne to enter energy sa	_						
P9.2*		0,	on is provided with the	product.	T			<u> </u>
P9.3	Energy efficiency cl	lass (monitors only):						\boxtimes

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PMM25,PMM26,PMM20,PMM21,PMM22,PMM23	Logo	
Issue date *	2022-February-25		• dynabook

Product	environmental	attributes - Mar	ket requirements	(contin	ued)		Require	ment	t met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared accord	ding to ISO 9296 (See	e NOTE I	39)				
P10.1	Mode	Mode description			Statistical upper lim $L_{WA,c}$ (B)	it A-weighted sound po	wer level,		
	Idle	* ISO7779 Idle			* 2.5				
	Operation	* ISO7779 Oper	ation-HDD		*				X
	Other mode		(When ODD operate	es)					X
	Other mode	When cooling	fan operates (Fan i	max.)	4.6				
	Measured accor		779 ECMA-74		ECMA-74)				
	Electromagneti	c emissions							
P10.4	Computer displa program(s):	y meets the requir	ement for low frequer	ncy electr	omagnetic fields of th	ne following voluntary			
P12	Ergonomics fo	r computing prod	ucts						
P12.1*	The display mee	ets the ergonomic r	equirements of ISO 9	241-307	for visual display tecl	hnologies.			\square
P12.2*	The physical inp	ut device meets th	e requirements of ISC	O 9995 aı	nd ISO 9241-410.				X
P13	Packaging and	documentation							
P13.1*		ng material type(s)	: PE	weight (k	g): 0.016				
		ng material type(s)		weight (k	g): 0.0212				
		ng material type(s)		weight (k					
D40.0*		ng material type(s)		weight (k	g): 0.0024			_	
P13.2*		orimary packaging					\boxtimes		
P13.3*			erboard packaging, sp	pecify the	contained percentag	ge of minimum post-			
P13.4*	Consumer recov	ered fiber content:	documentation (tick	hov):					
F 13.4		aper <mark>X</mark> , Other	l documentation (tick	DOX).					Ш
	Electronic , P	aper , Other	J						
P13.5			aper documentation				\square	$\overline{}$	
	If Yes, please sp		ii papei media is cilic	Jillio-IICC	•			ш	
	Totally chlorine-	free							
	Elemental chlori	ne-free							
	Processed chlor	ine-free					H		
P14	Voluntary prog	rams							
P14.1			ts of the following vol	untary pr	ogram(s):				
	ENERGY STAR		ria version: 8.0		ite: 2022-02-17	Product category:	1, 2		
	Eco-label:	Crite	ria version:	Da	te:	Product category:			
	Eco-label:	Crite	ria version:	Da	te:	Product category:			
DAE	A -1 -11411 1 f		T D40\						
P15		rmation (See NOT	er products; descrip	tion of the	ha tastad product of	anfiguration:			
P7.10		lepends on service		ווטוו טו נו	ie testeu product co	onngurauon.			
P9				claration	renresents only the c	haracteristic of a mode	I with stan	dard	
						or optional devices ch			<i>IY</i>
P10	Acoustic noise in		ed on The Eco Declar odels with different co			ristics of a model with s	standard		
P7.19	The definition of substances.	plastic parts in this	s item does not includ	le cables	in harmonization with	n TCO. AC cable comn	nonly inclu	des R	40
	Dynabook provide warranties for a	des this information particular purpose.		of any kin	d neither expressed r	nor implied including bu			
						ocument is provided to a update such information			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	