

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Dynabook	Logo	
Company name *	Dynabook Europe GmbH		
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany	•• dynabook	
e-mail address		,	
Internet site *	http://emea.dynabook.com/generic/environmental-management/		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer			
Commercial name *	TECRA A50-K / SATELLITE PRO A50-K			
Model number *	PML25,PML26,PML20,PML21,PML22,PML23			
Issue date *	2022-February-25			
Intended market *	🗌 Global 🕺 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	PML25,PML26,PML20,PML21,PML22,PML23	Logo	
Issue date *	2022-February-25		• dynabook

Produc	t environmental attributes - Legal requirements	Require	ment	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\times		
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://emea.dynabook.com/generic/environmental-management/	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🛛		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\boxtimes	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://emea.dynabook.com/generic/product-conformity			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL):			
	http://emea.dynabook.com/generic/environmental-management/			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s)	\boxtimes	
	The product packaging material is free from ozone depleting substances as specified in the Montreal	\square		
P5.3*	Protocol (see legal reference).	_		
P5.3* P6				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

- Er Item *=m. P7 Des Dis. Dis. P7.1* Par P7.2* Plas P7.3* Plas P7.4* Plas P7.5 Plas P7.6* Lab P7.7* Upg P7.8* Upg P7.10 Ser P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter weig poly poly poly	ironmental attributes - Market requirements (See General NOTE GN below) vironmental conscious design andatory to fill in. Additional information regarding each item may be found under P14. ign assembly, recycling is that have to be treated separately are easily separable stic materials in covers/housing have no surface coating. stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime		ent i		
- Er Item *=m. P7 Des Dis. Dis. P7.1* Par P7.2* Plas P7.3* Plas P7.4* Plas P7.5 Plas P7.6* Lab P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Ser P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter weig poly	Invironmental conscious design Recent construction andatory to fill in. Additional information regarding each item may be found under P14. Image: Construction of the second se	Yes N Image: Constraint of the second	10		
Item *=m. P7 Des Dis. Dis. P7.1* Par P7.2* Plas P7.3* Plas P7.4* Plas P7.6* Lab P7.6* Lab P7.7* Upg P7.8* Upg P7.10 Spra P7.11* Pron P7.12 Insu P7.13 Insu P7.14 Exter <th>andatory to fill in. Additional information regarding each item may be found under P14. ign assembly, recycling is that have to be treated separately are easily separable stic materials in covers/housing have no surface coating. stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime</th> <th>Yes N Image: Constraint of the second second</th> <th>10</th> <th></th>	andatory to fill in. Additional information regarding each item may be found under P14. ign assembly, recycling is that have to be treated separately are easily separable stic materials in covers/housing have no surface coating. stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime	Yes N Image: Constraint of the second	10		
P7 Dess Diss P7.1* Par P7.2* Plas P7.3* Plas P7.4* Plas P7.5 Plas P7.6* Lab P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Ser P7.12 Insu P7.13 Insu P7.14 Exter	ign assembly, recycling is that have to be treated separately are easily separable stic materials in covers/housing have no surface coating. stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime				
Dis. P7.1* Par P7.2* Plas P7.3* Plas P7.4* Plas P7.5 Plas P7.6* Lab P7.7* Upg P7.8* Upg P7.10 Ser P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter	assembly, recycling is that have to be treated separately are easily separable stic materials in covers/housing have no surface coating. stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime				
P7.2* Plas P7.3* Plas P7.4* Plas P7.5 Plas P7.6* Lab P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Ser P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter	stic materials in covers/housing have no surface coating. stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime				
P7.3* Plas P7.4* Plas P7.5 Plas P7.6* Lab P7.6* Lab P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Ser P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter weig poly	stic parts > 100 g consist of one material or of easily separable materials. stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime				
P7.4* Plas P7.5 Plas P7.6* Lab P70 Pro P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Ser Mat Pr.11* P7.12 Insu P7.13 Insu P7.14 Exter	stic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime			$\overline{\Box}$	
P7.5 Plas P7.6* Lab P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Ser P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter	stic parts are free from metal inlays or have inlays that can be removed with commonly available tools. els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime			1 1	
P7.6* Lab Pro Pro P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Serr P7.11* Pro P7.12 Insu P7.13 Insu P7.14 Exter	els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime				
Pro P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Serr Mat Pro.11* P7.12 Insu P7.13 Insu P7.14 Exter	els are easily separable. (This requirement does not apply to safety/regulatory labels). duct lifetime			Ħ	
P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Serr Mat P7.11* P7.12 Insu P7.13 Insu P7.14 External set	duct lifetime		=	Ħ	
P7.7* Upg P7.8* Upg P7.9. Spa P7.10 Serr Mat P7.11* P7.12 Insu P7.13 Insu P7.14 External set			_		
P7.9. Spa P7.10 Ser Mat Pro P7.11* Pro P7.12 Insu P7.13 Insu P7.14 External weig poly poly	rading can be done e.g. with processor, memory, cards or drives				
P7.10 Ser Mat Promotion P7.11* Promotion P7.12 Insu P7.13 Insu P7.14 Exter weig poly	rading can be done using commonly available tools		-	Ē	
P7.10 Ser Mat Promotion P7.11* Promotion P7.12 Insu P7.13 Insu P7.14 Exter weig poly	re parts are available after end of production for: 5 years			Ħ	
Mat P7.11* Promotion P7.12 Insu P7.13 Insu P7.14 External weig poly	vice is available after end of production for: See P15			Ħ	
P7.11* Pro Mat P7.12 Insu P7.13 Insu P7.14 Exte weig poly	erial and substance requirements			<u> </u>	
P7.13 Insu P7.14 Externel poly	duct cover/housing material type (e.g. plastics, metal, aluminum): erial type: <u>PC+ABS</u> Material type: Material type:				
P7.14 External weig	lation materials of external electrical cables are PVC free.		\triangleleft		
weig poly	lation materials of internal electrical cables are PVC free.			Π	
con	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15 Prin	ted circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low	\boxtimes [
halo	gen as defined in IEC 61249-2-21. (See ⁵ NOTE B2)				
Mar	king: FR(40)	\boxtimes [
	<u>1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
acc		\boxtimes [
con 1. C 2. C	1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in centrations above 0,1%: chemical name: , CAS #: (See NOTE B4) chemical name: , CAS #: " chemical name: , CAS #: "				
	2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) lastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

		,PML22,PML23		Logo			
Issue date *	2022-February-25			Q	• dyna	bo	ok
Product environ	mental attributes - Market re	equirements (contin	nued)		Require	men	nt met
Item					Yes N	١o	n.a.
	and substance requirements						
	sumer recycled plastic material c		· · · · · · · · · · · · · · · · · · ·):			
a) Of	percentage of total plastic by weight) is %.						
	e weight of recycled material is 6	7.03 g.					
P7.21* Biobase	d plastic material content is used	d in the product (See No	OTE B7):			\mathbf{X}	
a) Of tota or	at least one of the two alternative total plastic parts' weight > 25 g, al plastic by weight) is %. e weight of the biobased plastic r	the biobased plastic ma	,	ted as a percentage of			
P7.22* Light so	urces are free from mercury, i.e. ry is used specify: Number of lan	less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg			
P8 Batterie							
,	chemical composition: Main ba	ttery: Li-ion					
	consumption (See NOTE B8)						
P9.1 For the	product the following power level	s or energy consumption	ons are reported:				
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth			
EPS No-load (External power sup charger plugged in t outlet but disconnec the product.) PTEC * Typical Energy Con:	hé wall ted from W	0.1 W	0.1 W W	EN 50563			
Power_in_Off	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	ENERGY STAR Pro Requirements - Pro Specification for Co	duct		
Power_in_Sleep	Category1: 0.6 W Category2: 0.7 W	Category1: 0.6 W Category2: 0.7 W	Category1: 0.7 W Category2: 0.8 W	ENERGY STAR Pro Requirements - Pro Specification for Co Version 8.0	gram duct		
Power_in_Long_Idle	Category1: 0.6 W Category2: 0.7 W	Category1: 0.6 W Category2: 0.7 W	Category1: 0.7 W Category2: 0.8 W	ENERGY STAR Pro Requirements - Pro Specification for Co Version 8.0	duct		
Power_in_Short_Idl	Category2: 6.5 W	Category1: 6.2 W Category2: 6.5 W	Category1: 6.3 W Category2: 6.6 W	W ENERGY STAR Program			
ETEC * Annual Energy Con	sumption Category1: 19.6 kWh/year Category2: 20.5 kWh/year	Category1: 19.5 kWh/year Category2: 20.5 kWh/year	Category1: 20.0 kWh/year Category2: 21.1 kWh/year	ENERGY STAR Program			
External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : VI							
Display resolution *					\square		
	energy save mode: AC mode:						
P9.2* Informat		\square					
	0,						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

Model number *	PML25,PML26,PML20,PML21,PML22,PML23	Logo	
Issue date *	2022-February-25		• dynabook

	t environmental	attributes - Market requirements (conti	nued)	Require		t me	
ltem				Yes	No	n.a	
P10	Emissions						
		 Declared according to ISO 9296 (See NOTE 					
P10.1	Mode	Mode description		weighted sound power level,			
			L _{WA,c} (B)				
	Idle	* ISO7779 Idle	* 2.5				
	Operation	* ISO7779 Operation-HDD	*				
	Other mode	ISO7779 ODD (When ODD operates)					
	Other mode	When cooling fan operates (Fan max.)	4.5			\square	
			4.0				
	Measured acco	rding to: 🛛 ISO 7779 🔄 ECMA-74					
		Other (only if not covered b	y ECMA-74)				
B / A /	Electromagnet					_	
P10.4		ay meets the requirement for low frequency elec	tromagnetic fields of the fo	lowing voluntary		\geq	
P12	program(s):	r computing products					
P12.1*		ets the ergonomic requirements of ISO 9241-30	7 for vieual display technol				
P12.2*		out device meets the requirements of ISO 9995	and ISO 9241-410.			\geq	
P13		documentation					
P13.1*			ght (kg): 0.016				
			ght (kg): 0.030 ight (kg): 0.5093				
			ght (kg): 0.0038				
P13.2*	Product packaging material type(s): PP weight (kg): 0.0038 Product plastic primary packaging is free from PVC. Image: Comparison of the primary packaging is free from PVC. Image: Comparison of the primary packaging is free from PVC.						
P13.3*			e contained percentage of				
15.5	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 75.3 %						
P13.4*	Specify media f	or user and product documentation (tick box):					
	Electronic , Paper , Other						
P13.5	(Please only co	mplete this item if paper documentation used)					
	User and product documentation on paper media is chlorine-free:						
	If Yes, please specify:						
	-						
	Totally chlorine-						
	Elemental chlorine-free						
	Processed chlo	rine-free					
P14	Voluntary prog	Irams					
P14.1		ets the requirements of the following voluntary					
	ENERGY STAF			Product category: 1, 2			
	Eco-label:			Product category:			
	Eco-label:	Criteria version:	late:	Product category:			
P15	Additional info	rmation (See NOTE B10)					
P9		nption of computer products; description of	the tested product confid	uration:			
P7.10		depends on service agreement.					
P9	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard						
	configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy						
	efficiency						
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a model with standard						
		haracteristics of models with different configura					
P7.19	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cable commonly includes R40						
	substances.						
	Information contained in this document is approximate and provided for informational purposes only.						
	Dynabook provides this information without warranties of any kind neither expressed nor implied including but not limited to						
	warranties for a particular purpose. Dynabook does not warrant that the content will be error free. All information in this document is provided to the best of						
		not warrant that the content will be error free. A wiledge at the time of completion, and Dynaboo			'		

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	