

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Dynabook	Logo
Company name *	Dynabook Europe GmbH	
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany	•• dynabook
e-mail address		
Internet site *	http://emea.dynabook.com/generic/environmental-managemen	t/
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer			
Commercial name *	TECRA A40-J / SATELLITE PRO A40-J			
Model number *	PMM15,PMM16,PMM10,PMM11,PMM12,PMM13			
Issue date *	2021/MAY/15			
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	PMM15,PMM16,PMM10,PMM11,PMM12,PMM13	Logo	
Issue date *	2021/MAY/15		•• dynabook

Produc	t environmental attributes - Legal requirements	Require	ment	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
P1.4	terphenyl (PCB) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🖂		
F 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm ² /week			
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\mathbf{X}		
	http://emea.dynabook.com/generic/environmental-management/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\mathbf{X}		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
D0.0*	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\boxtimes	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	http://emea.dynabook.com/generic/product-conformity The product complies with the Eco design requirements for energy-related products,			_
P3.2	(see legal reference).	\bowtie		
	Required information is; given in item P15 or added to this document,			
	available at (add URL): http://emea.dynabook.com/generic/environmental-management/			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square		
1 0.1	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	;)	\square	
	used (see legal reference).	· 🗀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
	Protocol (see legal reference).	<u> </u>		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	PMM15,PMM16,PMM10,PMM11,PMM12,PMM13	Logo			
Issue date *		* 2021/MAY/15		(•• dyn	dynabo	
Produc		mental attributes - Market requirements (See General NOTE GN below onmental conscious design	/)	Require	ment i	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes		n.a.
P7	Design					
D7.4*		mbly, recycling				
P7.1*		It have to be treated separately are easily separable				<u>Ц</u>
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools	s. 🔀		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9.	Spare pa	arts are available after end of production for: 5 years				$\overline{\Box}$
P7.10	Service i	s available after end of production for: See P15				Ħ-
	Material	and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Materia	al type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\square		$\overline{\Box}$
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌	are low	\boxtimes		
	halogen	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	omponents): , CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: FR(40)	ents) > 25 g	\boxtimes		
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	preparations	in		
P7.19	In plastic assigned	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043 parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See I				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Issue date *	2021/MAY/15					
				- C -	dynab	ook
Product enviror	mental attributes - Marke	et requirements (conti	nued)		Requirem	ent met
Item		•			Yes No	n.a.
	al and substance requireme					
P7.20* Postcol	nsumer recycled plastic mater	ial content is used in the p	roduct (See NOTE B6)):		
a) Of pe	at least one of the two alterna total plastic parts' weight > 2 prcentage of total plastic by we	5 g, the postconsumer recy		ontent (calculated as a		
	ne weight of recycled material					,
P7.21* Biobas	ed plastic material content is u	used in the product (See N	OTE B7):			
a) Oi to or	at least one of the two alterna f total plastic parts' weight > 2 tal plastic by weight) is ne weight of the biobased plas	5 g, the biobased plastic m %.		ated as a percentage of		
P7.22* Light so	ources are free from mercury, ury is used specify: Number o	i.e. less than 0,1 mg/lamp	um mercury content pe	er lamp: mg		
P8 Batterie						
,	chemical composition: Main	n battery: Li-ion				
	consumption (See NOTE B					
P9.1 For the	product the following power le	evels or energy consumption	ons are reported:			
Energy mode *	Power level at 100 V AC	t Power level at 115 V AC	Power level at 230 V AC	Reference/Standard f modes and test metho		
EPS No-load (External power su charger plugged in outlet but disconne the product.)	the wall cted from	0.1 W	0.1 W	EN 50563		
PTEC * Typical Energy Cor	nsumption	W	W			
Power_in_Off		Category1: 0.4 W Category2: 0.4 W	Category1: 0.4 W Category2: 0.4 W	ENERGY STAR Prog Requirements - Prog Specification for Co	luct mputers	
Power_in_Sleep		Category1: 0.7 W Category2: 1.4 W	Category1: 0.7 W Category2: 1.5 W	ENERGY STAR Prog Requirements - Prog Specification for Co Version 8.0	luct	
Power_in_Long_Id		Category1: 2.3 W Category2: 2.4 W	Category1: 2.4 W Category2: 2.5 W	ENERGY STAR Prog Requirements - Prog Specification for Co. Version 8.0	luct	
Power_in_Short_Id	le	Category1: 5.2 W Category2: 5.3 W	Category1: 5.3 W Category2: 5.4 W	ENERGY STAR Prog Requirements - Proc Specification for Co. Version 8.0	luct mputers	
ETEC *		Category1:	Category1:	ENERGY STAR Prog		
Annual Energy Cor	nsumption	18.5 kWh/year Category2: 21.3 kWh/year	19.0 kWh/year Category2: 21.8 kWh/year	Requirements - Proc Specification for Co Version 8.0		
External Power Su	oply Efficiency Level (Internati	onal Efficiency Marking Pr	otocol) * : VI			
Display resolution *						\boxtimes
Default time to ente	er energy save mode: AC mod	to Sleep) minutes				
PQ 2* Inform:	ation about the energy save fu	P9.2* Information about the energy save function is provided with the product.				
1.5.2 11101116			•			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

Model number *	PMM15,PMM16,PMM10,PMM11,PMM12,PMM13	Logo	
Issue date *	2021/MAY/15		• dynabook

Produc	t environmental	attributes - Market requirements (contin	nued)	Require		t met
tem				Yes	No	n.a
P10	Emissions					
		n – Declared according to ISO 9296 (See NOTE				
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound $L_{WA,c}$ (B)	d power level,		
	Idle	* ISO7779 Idle	* 2.5			
	Operation	* ISO7779 Operation-HDD	*			\boxtimes
	Other mode	ISO7779 ODD (When ODD operates)				X
	Other mode	When cooling fan operates (Fan max.)	4.2			
	Measured acco	rding to: ISO 7779 ECMA-74 Other (only if not covered b	v ECMA-74)			
	Electromagnet		, ,			
P10.4	program(s):	ay meets the requirement for low frequency elec	tromagnetic fields of the following volunta	ry		\boxtimes
P12		r computing products				
P12.1*	The display me	ets the ergonomic requirements of ISO 9241-30	7 for visual display technologies.			\boxtimes
P12.2*	The physical in	out device meets the requirements of ISO 9995	and ISO 9241-410.			\square
P13		I documentation				
P13.1*	Product packag Product packag	ing material type(s): PE weight (l ing material type(s): EPE weight (l ing material type(s): Cardboard weight (l	(g): 0.0212 (g): 0.3695			
		ing material type(s): PP weight (<g): 0.0024<="" td=""><td></td><td></td><td></td></g):>			
P13.2*		primary packaging is free from PVC.		\square		<u> </u>
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 75.6 %					
P13.4*		or user and product documentation (tick box): Paper \square , Other \square				
P13.5		mplete this item if paper documentation used) ct documentation on paper media is chlorine-fre pecify:	e:			
	Totally chlorine	free		\boxtimes		
	Elemental chlor	ine-free		E E		
	Processed chlo	rine-free		E E		
P14	Voluntary prog	Irams				
P14.1		ets the requirements of the following voluntary p	program(s):			
	ENERGY STAF	Re Criteria version: 8.0 D	ate: 2021-05-12 Product catego			
	Eco-label:		ate: Product catego			
	Eco-label:	Criteria version: D	ate: Product catego	ory:		
P15	Additional info	ormation (See NOTE B10)				
P9		mption of computer products; description of	the tested product configuration:			
P7.10		depends on service agreement.				
P9	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy efficiency					
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a model with standard configuration. Characteristics of models with different configurations may vary.					
P7.19	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cable commonly includes R4 substances.					240
	Dynabook prov warranties for a Dynabook does	tained in this document is approximate and prov ides this information without warranties of any ki particular purpose. not warrant that the content will be error free. A pwledge at the time of completion, and Dynaboo	nd neither expressed nor implied including Il information in this document is provided	to the best of		

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	