



## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Dynabook	Logo	
Company name *	Dynabook Europe GmbH		
Contact information * e-mail address	Stresemannallee 4b 41460 Neuss Germany	• dynabook	
Internet site *	http://emea.dynabook.com/generic/environmental-management/		
Additional information			

	The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	lotebook Computer				
Commercial name *	SATELLITE PRO L50-J, SATELLITE PRO L51-J				
Model number *	PBS40E*, PBS41E*, PBS42E*				
Issue date *	2021-April-19				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B2**

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	PBS40E*, PBS41E*, PBS42E*	Logo	
Issue date *	2021-April-19		• dynabook

Product of	environmental attributes - Legal requirements	Requirer	nent met
Item		Yes	No n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum		
	concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$	
	terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	ie 🔀	
D4.0*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference).	k 🔀	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$	
	http://emea.dynabook.com/generic/environmental-management/		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$	
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)	ıl 🔀	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		$\square$
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\square$	
	The Declaration of Conformity can be requested at (add link or e-mail address):		
	http://emea.dynabook.com/generic/product-conformity		
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$	
	(see legal reference).	$\boxtimes$	
	Required information is; given in item P15 or added to this document,		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\square$	
	hexavalent chromium by weight of these together.	_	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s)	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\square$	
	Protocol (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		_ <u></u>
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	PBS40E*, PBS41E*, PBS42E*	Logo	
Issue date *	2021-April-19		• dynabook

Produc	t environmental attributes - Market requirements (See General NOTE GN below)					
	- Environmental conscious design	Require	ement	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ī			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\overline{\Box}$	Ī		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: See P15					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
D= 40	Material type: PC+ABS Material type: Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.			Ц_		
P7.13	Insulation materials of internal electrical cables are PVC free.	$\boxtimes$				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See <sup>5</sup> NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$				
	Marking: <u>FR(40)</u>					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		Ш	Ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)	$\bowtie$				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%:					
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been					
F7.19	assigned the following Risk phrases; and Hazard statements:	Ш	$\bowtie$	Ш		
	The source(s) for these classifications is/are found at (add URL(s)):  , (See NOTE B5)					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	PBS40E*, PBS41E*, PBS42E*	Logo	
Issue date *	2021-April-19		• dynabook

Product environmental attributes - Market requirements (continued)					Requi	reme	nt met	
Item						Yes	No	n.a.
	Material and substance requirements (continued)							
P7.20*	Postconsumer recy	cled plastic material c	content is used in the p	roduct (See NOTE B6)	):		Ш	Ш
			s below shall be answer		ontont (onlovilated on a			
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 10%.</li> </ul>							
	or b) The weight of	recycled material is 6	<b>2.85</b> g.					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
			es below shall be answe					
	<ul> <li>a) Of total plastic of total plastic</li> </ul>		, the biobased plastic	material content (calcu	llated as a percentage	•		
	or b) The weight of	the biobased plastic r	material is a.					
P7.22*	Light sources are fr	ree from mercury, i.e.	less than 0,1 mg/lamp.		or lown; ma	$\boxtimes$		
P8	Batteries	specify: Number of lar	nps. and maxim	ium mercury content pe	er lamp: mg			
P8.1*		omposition: Main Bat	tery : Li-ion					П
P9	Energy consumpt	ion (See NOTE B8)						
P9.1	For the product the	following power level	s or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		ЭУ	
EPS No-lo	ad	W	W	0.0928 W	EN 50563			
	oower supply / ugged in the wall							
	disconnected from							
the produc	et.)							
PTEC *		W	W	W				X
Typical En	ergy Consumption							_
Power_in_	Off	W	W	Category 1: 0.66W Category 2: 0.62W	ENERGY STAR Progra Requirements - Produc			
				Category 2: 0.02VV	Specification for Comp 8.0		ersion	
Power_in_	Sleep	W	W	Category 1: 0.74W	ENERGY STAR Progra			
				Category 2: 0.76W	Requirements - Production for Complete 8.0		ersion	
Power_in_	Long_Idle	W	W	Category 1: 1.85W	<b>ENERGY STAR Progra</b>			
				Category 2: 1.73W	Requirements - Production for Complete 8.0		ersion	
Power_in_	Short_Idle	W	W	Category 1: 4.51W	ENERGY STAR Progra			
				Category 2: 3.08W	Requirements - Production for Comp		ersion	
ETEC *		kWh/year	kWh/year	Category 1: 17.19	ENERGY STAR Progra			
Annual En	ergy Consumption			kWh/year	Requirements - Production for Comp		rsion	
				Category 2: 13.30 kWh/year	8.0	outers ve	131011	
External P	ower Supply Efficien	cy Level (Internationa	l Efficiency Marking Pro	otocol) *: VI				
Display resolution * : megapixels								
Default time to enter energy save mode: 10(Display sleep)/ 30( Computer sleep) minutes								
P9.2*			on is provided with the	product.				
P9.3	Energy efficiency c	lass (monitors only):						$\boxtimes$

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	PBS40E*, PBS41E*, PBS42E*	Logo	
Issue date *	2021-April-19		• • dynabook

Product 6	uct environmental attributes - Market requirements (continued) Requirements					met
Item				Yes	No	n.a.
P10	Emissions					
	Noise emission	n – Declared according to ISO 9296 (See NOTE	B9)			
P10.1	Mode	Mode description	Declared A-weighted sound pressure level	,		
			LpAm (dBA)			
	Idle	* ISO7779 Idle	24.8			
	Operation	* ISO7779 Operation-HDD	16.9			1
	Other mode	ISO7779 ODD (When ODD operates)	NA			<u> </u>
	Other mode	When cooling fan operates (Fan max.)	37.3		Ĺ	j
	Measured accor	rding to: 🔀 ISO 7779 🔲 ECMA-74				
		Other (only if not covered by	r ECMA-74)			
	Electromagneti					
P10.4	Computer displa program(s):	ay meets the requirement for low frequency elect	romagnetic fields of the following voluntary			
P12	Ergonomics for	r computing products				
P12.1*	The display mee	ets the ergonomic requirements of ISO 9241-307	for visual display technologies.			X
P12.2*	The physical inp	out device meets the requirements of ISO 9995 a	nd ISO 9241-410.			$\boxtimes$
P13		documentation				
P13.1*	Product packagi	ing material type(s): Cardboard(Box & Sheet) ing material type(s): LDPE (EPE)	weight (kg): 0.4273 weight (kg): 0.0474			
	Product packagi	ing material type(s): HDPE(PE Bag)	weight (kg): 0.0173			
		ing material type(s):	weight (kg):			
P13.2*		orimary packaging is free from PVC.		$\boxtimes$		
P13.3*		nary corrugated fiberboard packaging, specify the ered fiber content: 65 %	e contained percentage of minimum post-			
P13.4*	Specify media for	or user and product documentation (tick box):				$\overline{}$
1 10.1	Electronic , F	Paper , Other				
P13.5	(Please only cor	mplete this item if paper documentation used)				
	User and productif Yes, please sp	ct documentation on paper media is chlorine-free pecify:	): :			
	Totally chlorine-	free		$\boxtimes$		
	Elemental chlori					
	Processed chlor	ine-free		H		
P14	Voluntary prog	rams				
P14.1	The product mee	ets the requirements of the following voluntary profession:  8.0 Description:	ate: September 8, 2020 Product category:	1, 2		
	Eco-label: Eco-label:		ate: Product category: ate: Product category:			
P15	Additional info	rmation (See NOTE B10)				
P9		nption of computer products; description of t	he tested product configuration:			
P7.10		depends on service agreement.	, ,			
P9			represents only the characteristic of a mode.	with star	ndard	
	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy efficiency					′
P10	Acoustic noise in	nformation published on The Eco Declaration repharacteristics of models with different configurati		tandard		
P7.19		f plastic parts in this item does not include cables		nonly inclu	ıdes R4	10
	substances.			-		
	Dynabook provid	tained in this document is approximate and provides this information without warranties of any kir particular purpose.		t not limite	ed to	
		not warrant that the content will be error free. Al	I information in this document is provided to	he best o	f	

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)*  * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	